




# Steel Columbus buckets

The steel Columbus buckets (comparable to DIN15232) are pressed out of one piece, seamless, and are available in ST 37 as well as stainless steel. These buckets are normally equipped with recessed holes. Buckets with other types of holes, or without any holes, are available on demand.



Steel Columbus elevator buckets (parameters in mm )



Type	Size/weight					Volume Kg	Z <sub>3</sub>	Holes			Max. bckts/m
	b	a	h <sub>1</sub>	h <sub>2</sub>	t			d	e	no.	
Columbus 80 x 1	80	75	80	40	1,0	0,125	0,16	8,0	43	2	10,00
Columbus 90 x 1	90	80	85	45	1,0	0,155	0,22	8,0	46	2	9,00
Columbus 100 x 1	100	90	91	48	1,0	0,180	0,27	8,0	58	2	8,50
Columbus 110 x 1	110	95	95	50	1,0	0,210	0,32	8,0	64	2	8,00
Columbus 120 x 1	120	100	105	55	1,0	0,250	0,42	8,0	67	2	8,00
Columbus 130 x 1	130	105	110	58	1,0	0,300	0,50	8,0	78	2	7,00
Columbus 140 x 1	140	115	117	63	1,0	0,330	0,63	8,0	86	2	6,50
Columbus 150 x 1	150	125	123	66	1,0	0,360	0,77	8,0	87	2	6,00
Columbus 160 x 1,5	160	125	126	70	1,5	0,570	0,89	8,0	101	2	5,50
Columbus 180 x 1,5	180	130	130	76	1,5	0,670	1,05	9,0	110	2	5,50
Columbus 200 x 1,5	200	140	145	88	1,5	0,840	1,45	9,0	131	2	5,00
Columbus 225 x 1,5	225	145	153	90	1,5	1,010	1,83	9,0	70	3	5,00
Columbus 225 x 2	225	145	153	90	2,0	1,300	1,83	9,0	70	3	5,00
Columbus 250 x 1,5	250	150	158	92	1,5	1,120	2,11	9,0	77	3	5,00
Columbus 250 x 2	250	150	158	92	2,0	1,460	2,11	9,0	77	3	5,00
Columbus 300 x 1,5	300	155	160	95	1,5	1,350	2,84	9,0	104	3	4,50
Columbus 300 x 2	300	155	160	95	2,0	1,740	2,84	9,0	104	3	4,50
Columbus 350 x 1,5	350	180	190	100	1,5	2,000	4,03	11,0	90	4	4,00
Columbus 350 x 2	350	180	190	100	2,0	2,350	4,03	11,0	90	4	4,00
Columbus 400 x 2	400	200	212	112	2,0	3,350	5,60	11,0	100	4	3,00
Columbus 500 x 3	500	224	236	125	3,0	7,200	9,00	14,0	100	5	3,00

Z<sub>3</sub> = net volume in liters



# Plastic Columbus buckets

Plastic Columbus elevator buckets, suitable for the transport of wet and sticky materials, are available in two varieties. The white polypropylene version is temperature resistant up to 60 °C. The green nylon plastic Columbus elevator bucket is temperature resistant up to 90 °C. The following table shows the standard sizes of plastic Columbus elevator buckets.



**Polypropylene (white) Columbus elevator buckets (parameters in mm )**

Type	Size/weight		Volume				Holes		Max.		
	b	a	h <sub>1</sub>	h <sub>2</sub>	t <sub>1</sub> - t <sub>2</sub>	Kg <sup>PP</sup>	Z <sub>3</sub>	d	e	no.	bckts/m
Columbus 80	85	78	79	42	2,0 - 2,0	0,032	0,13	8,0	45	2	10,00
Columbus 100	106	93	96	50	2,0 - 2,0	0,058	0,25	8,0	48	2	8,00
Columbus 120	120	106	104	50	2,5 - 2,5	0,082	0,35	8,0	63	2	8,00
Columbus 140	145	115	120	60	2,5 - 2,5	0,116	0,55	8,0	80	2	6,50
Columbus 160	170	130	135	75	3,0 - 3,0	0,158	0,85	8,0	96	2	5,50
Columbus 180	190	135	140	75	3,0 - 3,0	0,194	1,10	8,0	104	2	5,50
Columbus 200	215	145	145	75	3,0 - 4,0	0,250	1,25	10,0	118	2	5,00
Columbus 250	265	170	168	80	3,5 - 4,0	0,368	2,10	10,0	77	3	4,00
Columbus 315	327	193	196	104	4,0 - 5,0	0,628	3,35	11,0	110	3	4,00

Z<sub>3</sub> = net volume in liters